	Application No.	Applicant(s)
	, application its.	
Notice of Allowability	10/080,503	HIGUCHI ET AL.
Notice of Allowability	Examiner	Artonic
	L. E. Crane	1623
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. <b>THIS</b>
1. This communication is responsive to the amendment filed in	<u>May 19, 2006</u> .	
2. The allowed claim(s) is/are <u>1-31,37-40,46,49-51,56-72,76</u>	77 and 108.	
3. Acknowledgment is made of a claim for foreign priority un	ider 35 U.S.C. § 119(a)-(d) or (f).	
a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have	been received.	
2. Certified copies of the priority documents have	been received in Application No	·
3. Copies of the certified copies of the priority doc	cuments have been received in this i	national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" on the delow. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) I including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-	948) attached
1)  hereto or 2)  to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in the O	ffice action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I	sit of BIOLOGICAL MATERIAL n FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the AL MATERIAL.
Attachment(s)	5 DNAS at late and B	
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>6. ☑ Interview Summary Paper No./Mail Dat</li> </ol>	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0- Paper No./Mail Date 4/5/05(update)</li> </ol>	8), 7. 🛛 Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.   Examiner's Stateme	nt of Reasons for Allowance
	9. ☑ Other <u>PTO-1449 of</u>	<u>02/01/2005</u> / // _
		Frimary Patent Examiner Technology Center 1600

Application/Control Number: 10/080,503

Art Unit: 1623

Applicant is respectfully requested to supply an amended declaration because the handwritten alterations to the oath by inventor Caferro were not properly initialed and dated.

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. §1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the Issue Fee.

In claim 46, the term "claim 45" was amended to read -- claim 1 --.

In claim 56 at line 108, the term -- and -- was added at the end of the line.

In claim 56 at line 111, the term "a pharmaceutically acceptable salt" was amended to read -- pharmaceutically acceptable salts --.

In claim 57 at line 25, the term -- and -- was added at the end of the line.

In claim 57 at line 28, the term "a pharmaceutically acceptable salt" was amended to read -- pharmaceutically acceptable salts --.

In claim 58 at line 67, the entire line was deleted in favor of the term -- m is 1; --.

Claim 75 was cancelled.

In claim 108 at line 4, the term "and o" was amended to read -- and --.

Authorization for this Examiner's Amendment was given in a telephone interview with Frank Miskiel on August 21, 2006

Papers related to this application may be submitted to Group 1600 via facsimile transmission (FAX). The transmission of such papers must conform with the notice published in the Official Gazette (1096 OG 30, November 15, 1989). The telephone number to FAX (unofficially) directly to Examiner's computer is 571-273-0651. The telephone number for sending an Official FAX to the PTO is 571-273-8300.

Application/Control Number: 10/080,503

Art Unit: 1623

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner L. E. Crane whose telephone number is 571-272-0651. The examiner can normally be reached between 9:30 AM and 5:00 PM, Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ms. S. Anna Jiang, can be reached at 571-272-0627.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group 1600 receptionist whose telephone number is **571-272-1600**.

All Post-Allowance Correspondence concerning this application must be mailed to:

BOX ISSUE FEE COMMISSIONER FOR PATENTS WASHINGTON, DC 20231

OR you can FAX them to the Office of Patent Publications at 571-273-8300, in order to expedite the handling of such correspondence as amendments under 37 C.F.R. §1.312; Information Disclosure Statements (IDS's), and formal drawings. Sending Post-Allowance papers to Technology Center 1600 will only cause <u>delays</u> in matching papers with the case.

For information concerning status of correspondence sent after receipt of the Notice of Allowance, please contact the Correspondence Branch at <u>571-272-4200</u>. The Notice of Allowance also has an insert containing contact information for other items, including Issue Fees, receipt of formal drawings, and the status of the application.

LECrane:lec **08/23/2006** 

L. E. Crane, Ph.D. Esq.

Primary Patent Examiner

Technology Center 1600